
Veise

Installation Instructions of Lever (8801)



Tutorial Video

Scan the QR code to get the video.


Need Help? Contact Us!

Call us at **+1(855)400-3853** (Monday-Friday 9:00am-5:00pm PST), if you have any questions. **support@iveise.com** **iveise.com**







Content

- Parts List ---------- 01
- Prepare the Door & Check Dimensions ---------- 02
- Latch Adjustment ---------- 03
- Install the Latch & Strike ---------- 04
- Install Front and Rear Lever ---------- 05

Installation Overview



Parts List

A Latch x1 	B Latch & Strike Screws x4 	C Strike x1 
D Mounting Screw x2  H Dust Cover x1(Optional) 	E Rear Lever x1 	F Front Lever x1 

TOOL REQUIRED:






Do not use an electric screwdriver during installation.


Prepare the Door & Check Dimensions

If your door already has the holes shown in the picture below, proceed to the next step; if your door does not have holes, use the mounting template to drill a new hole.




02

Latch Adjustment





Backset is the distance from the door edge to the center of the hole in the door.




1 If the backset of your door is 2-3/8" (60mm), no need to adjust the Latch.


2 If the backset of your door is 2-3/4" (70mm), please adjust the Latch.









Install the Latch



Install the Strike



Opening outwards




Opening inwards




Note: The bevel of the Latch should be aligned to the bevel of the Strike.

Install Front and Rear Lever



Test the Lever

Keep the door open, checking out Front and Rear Lever to test if it works smoothly.



Need Help? Contact Us!

If you have any questions, please contact us at

+1(855)400-3853

(Monday-Friday 9:00am-5:00pm PST)

support@iveise.com **iveise.com**

If you have your ***order ID*, videos or images of your problem** (if necessary) ready before contacting Customer Support, we will solve your problem faster and better.