


Blindify




Smart Blinds Instruction Manual




Outdoor Shades




Roller Shades




Sheer Horizontal Shades



Zebra Shades




Roman Shades



Dual Shades

We Listen To You



Service And Experience

Visit Our Website:

Youtube

Instagram

Facebook

Amazon

Blindify — Where Innovation Meets Elegance.

WhatsApp Chat: +86 15757135536

Factory Address: 2804 Jeanwood Drive, Elkhart, IN 46514

Email Us:

Service & Support: **service@iblindify.com**

Sales & Quotes: **service@blindifyhome.com**

Preparation

Remote Introduction ——— 1

Motor Introduction ——— 2

Remote&Motor Instruction

1.Basic Setting ——— 3-4

2.Function Setting ——— 5-7

APP & Smart device via Hub

1.Hub $ App Setting ——— 8-15

2.Alexa Setting ——— 16-18

Directly Work with Matter Thread Device

1.Overview of Directly Connectable Devices ——— 20

2.Homekit ——— 21-26

3.Google ——— 27-32

4.Alexa ——— 33-39

5.Smartthings ——— 40-47


Connect to other device via Matter Thread Device ——— 48-54

REMOTE CONTROL

FRONT




2-CHANNEL REMOTE:



15-CHANNEL REMOTE:



BACK




Remark:
The picture of emitter is only for reference,please make the object as the standard.
Switch to channel button,each channel represents one emitter.


Product description



Indicator	
Red Light	LOW battery or error feedback
Orange light	Setting Status
Green light	Normmal feedback




Charger
(Not included)




Solar Panel
(Optional)


Low Battery:
Orange light flashing



Charging:
Blue light flashing every 8s



Fully Charged:
Blue light stays on



Charging Status Description	Status
Press wireless emitter's ▲or ▼, the motor indicator GREEN light flashes 2 times.	Charging
Press wireless emitter's ▲or ▼, the motor indicator GREEN light stays on.	Fully charged

Low battery alert
Press wireless emitter's any button, the motor indicator RED light flashes 5 times, please charge in time.

Operation steps

Scan this QR code to watch the video

Note: Except motor goes up and down, operation success will feedback by motor jogs.

4.1 Activation



Press S PROG for 1s

Motor jogs thrice
Orange light stays on

4.2 Pairing



Press S PROG for 2s

Motor jogs once
Orange light flashes

Briefly press back
P2 PROG

Motor jogs once

4.3 Change rotation direction




Press ▲ or ▼ to confirm the rotation direction


Press II for 2s


Motor jogs once

Note: This operation only applies before the Limits setting


4.4 Limits setting (in Tilting mode now)







Note:
When configuring the motor, ensure that both upper and lower limit settings are completed and saved. Otherwise, the current settings may not be retained, requiring reconfiguration upon next use.




After switching channels using the “+” and “-” buttons, repeat the previous pairing operation.
Each channel will control the corresponding blinds.

Function setting

(should be proceeded after Step 04 done)

5.1 Limits fine-tuning



Run to the Up limit for Up limit fine-tuning
Run to the Down limit for Down limit fine-tuning

Press ▲ + ▼ simultaneously for 2s

Motor jogs once
Orange light flashes

Run to the desired new limit position




Press ⏸ for 2s

Motor jogs once
Orange light goes out

Fine-tuning done

5.2 Speed Adjustment

Set High speed:



Press ▲ + ⏸ simultaneously for 2s

Motor jogs once

Setting done

Set Low speed:




Press ⏸ + ▼ simultaneously for 2s

Motor jogs once

Setting done

5.3 Tilting mode (default is off)



Press ▲ + ⏸ + ▼ simultaneously for 2s


Motor jogs once

Tilting mode on/off setting done

Note:

1. When the Tilting mode is off, press ▲ or ▼, the motor runs continously.
2. When the Tilting mode is on, press ▲ or ▼ for less than 2s, the motor runs continously.
3. When the Tilting mode is on, press ▲ or ▼ for more than 2s, the motor runs slowly and tilts the slats, release then the motor stops.

5.4 Preferred position setting/deletion (set only between the Up and Down limits)



Note:
When the shade stays in the non-preferred position, briefly press Ⅱ, the shade will move to the preferred position.

5.5 Adding emitter (each motor can be quipped with 12 emitters maximumly)

Method 1




Method 2




5.6 Deleting emitter


Operation 1: Delete one by one (if only one emitter remains, it can not be deleted)
Method 1



Method 2




Operation 2: Deleting all the emitters



(Note: Adding an emitter after deleting all the emitters, briefly press emitter's back P2 PROG, orange light goes out, adding emitter done)

Restore to factory setting

(if operation error, reset after restoring to factory setting)





Applications

(Please keep antennas away from metal obstructions during installation or placement to avoid signal interference or block)

Applications 1 :

Built-in Lithium battery power supply, rechargeable via solar panel, instead of AC wall socket






Applications 2 :


Built-in Lithium battery power supply, recharge via external charger, 4-8 months operation if fully charged






Hub&APP SETTING

The Smart Controller (Hub) requires plug-in and use in a stable 2.4 GHz Wi-Fi environment.



Long press the S until the indicator light flashes.



Long press the S until the indicator light flashes.

3 Scan the QR code to watch the video insctruction(Start at 3:58)





Download Tuya Smart App or Smart Life App



Add the hub on APP



Add the Shade after the hub installed on App



Make the shade motor in pairing mode



Match the shade with app



Try controlling shades on APP



If the shade operating direction is opposite to the button's function, reverse the open/close button settings within the app.





Set upper/lower limit position on APP




26
27
28


29



Operation complete

Connect with Alexa via Hub and Tuya APP







Open Alexa App





Choose Amazon Echo





Pair Alexa Device with Alexa App



pairing





Add the Tuya Smart App or Smart Life APP firmware in the Alexa app.





Map the shades from Tuya Smart App/Smart Life to Alexa App to enable Alexa Voice Control

Follow the prompts within the app to name your shade group and try using voice control.



Note: Some steps and screens may change with app version updates. Please refer to the actual app interface and on-screen instructions for setup.

For Blindify Matter Motor Over Thread

Matter Thread Devices

works with Apple Home

Apple TV 4K(3rd gen,128GB)
Apple TV 4K(2nd gen)
HomePod(2nd gen)
HomePod mini

works with SmartThings

SmartThings Hub V3
SmartThings Station

works with alexa

Echo Show 8 (3rd generation)
Echo (4th generation)

works with Google Home


Nest Hub(2nd gen)
Nest Hub Max
Nest Wif Pro


The blinds support the following platforms, and Matter motors can be directly connected. Below listed devices can be used as Edge Router to connect and communicate with other smart devices.

Homekit

Scan this QR code to watch the video

1. Follow the motor User manual to complete the limits setting first. If this is the first time to add Matter motor to a platform, press the motor Ⓢ PROG 3 times, motor green indicator light flashes 3 times and then goes out, now it is ready for platform connection.(If the Matter motor has already been added to the platform, please skip this step)






2. Turn on the cellphone's Bluetooth, connect Wifi and make sure of the Smart speaker is added and on-line.

Note:
Due to the APP updates and upgrades, the actual operation may differ from the description in the manual, please follow the APP instructions.

3. Open APP and add accessories





Note:
If Apple Home is not the first platform connected, Matter motor should be added through the paring code(which is generated from the first platform, instruction of acquiring new codes is in the last page. Motor tube has one Matter QR code, and another two in the package, which can be pasted on the blinds for easy re-scanning.)

4. Connection
Method 1: Scan a Setup code




Method 2:

Enter a Setup code (shared from the first connected platform)











5. Motor will jog 2 times during the adding process, choose the Blinds location, enter a custom name, then continue.





6. Control

Method 1

Tap the red square area to open or close





Method 2

Tap the red square area then slid for opening %






Click here to set automatic scence

Google Home

1. Follow the motor User manual to complete the limits setting first. If this is the first time to add Matter motor to a platform, press the motor Ⓢ PROG 3 times, motor green indicator light flashes 3 times and then goes out, now it is ready for platform connection.(If the Matter motor has already been added to the platform, please skip this step)




Turn on the cellphone's Bluetooth, connect Wifi and make sure of the Smart speaker is added and on-line.

Note:
Due to the APP updates and upgrades, the actual operation may differ from the description in the manual, please follow the APP instructions.

2. Open APP and add accessories







Note:
If Google Home is not the first platform connected, Matter motor should be added through the paring code(which is generated from the first platform, instruction of acquiring new codes is in the last page. Motor tube has one Matter QR code, and another two in the package, which can be pasted on the blinds for easy re-scanning.)

3. Connection

Method 1: Scan the QR code



Method 2:

Enter Matter pairing code (shared from the first connected platform)



4. Connecting








5. Added to Google Home







6. Control


Method 1

Tap the red square area to open or close




Method 2

Slid to control the opening %



Smart things

1. Follow the motor User manual to complete the limits setting first. If this is the first time to add Matter motor to a platform, press the motor Ⓢ PROG 3 times, motor green indicator light flashes 3 times and then goes out, now it is ready for platform connection.(If the Matter motor has already been added to the platform, please skip this step)




Turn on the cellphone's Bluetooth, connect Wifi and make sure of the Smart speaker is added and on-line.

Note:
Due to the APP updates and upgrades, the actual operation may differ from the description in the manual, please follow the APP instructions.

2. Open APP and add accessories









Note:
If Smartthings is not the first platform connected, Matter motor should be added through the Setup code(which is generated from the first platform, instruction of acquiring new codes is in the last page. Motor tube has one Matter QR code, and another two in the package, which can be pasted on the blinds for easy re-scanning.)

3. Connection


Method 1: Scan a Setup code



Method 2:


Enter a Setup code (shared from the first connected platform)






Prepare your device
Check the user guide for instructions.


Getting everything ready


Blinds
"SmartThings" would like to add this accessory to "iCloud Account".
Add to "iCloud Account"
7


Blinds Added to "iCloud Account"
Done
8

4. Connecting



5. Added to Smartthings



6. Control


Method 1

Slid to control the opening %




Method 2

Tap the red square area to open or close



Alexa

1. Follow the motor User manual to complete the limits setting first. If this is the first time to add Matter motor to a platform, press the motor Ⓢ PROG 3 times, motor green indicator light flashes 3 times and then goes out, now it is ready for platform connection.(If the Matter motor has already been added to the platform, please skip this step)




Turn on the cellphone's Bluetooth, connect Wifi and make sure of the Smart speaker is added and on-line.

Note:
Due to the upgrade of the APP, the actual operation may differ from the description in the manual, so please follow the instructions within the APP.

2. Open APP and add accessories


matter

1234-567-8901













Note:

If Alexa is not the first platform connected, Matter motor should be added through the Setup code(which is generated from the first platform, instruction of acquiring new codes is in the last page. Motor tube has one Matter QR code, and another two in the package, which can be pasted on the blinds for easy re-scanning.)

3. Connection
Method 1: Scan a Setup code





Method 2:

Enter a Setup code (shared from the first connected platform)







4. Connecting



5. Added to Alexa








6. Control

Slid to control the opening %








Cross-platform sharing:
If you have a smart speakers (Apple, Google, Amazon, Samsung) and would like to be able to control smart blinds/curtains that support the Matter protocol. The smart blinds/curtains must be connected to one of the above THREAD-enabled devices. If you have connected Apple speaker (HomePod mini, for example), open the corresponding device page in the "HOME" app, and find "Turn on pairing mode" in the settings,
you will get a new pairing code, then connect and pair with other apps or devices. Select the pairing code in Add Device to pair, and the subsequent process is the same as the new smart blinds/curtains.

Homekit


1. Acquiring new paring code/setup code









1



2



Linked Matter apps & services
3


Use pairing code to link





Renco Blind
1


Other Assistants and Apps
2


Control device with another assistant or app
1304-804-1241
3

Smart things








2. Adding device by Setup code (take Apple as example, for other platforms, please check previous Manual pages)






ronco
Accessories Added To Home
Accessory Setup Help
Enter a Setup Code
You can manually enter the setup code that came with the accessory. Enter code
Make Accessory Discoverable
For an accessory to be paired, it must be in discovery mode. See manufacturer's guide for more information.
Use Manufacturer's App
Some accessories don't have setup codes and can be added to your home using the manufacturer's app.
Reset Accessory
You may need to reset the accessory before adding it to your home. See manufacturer's guide for more information.
Done
2


ronco
Setup Code
Enter the code found on the accessory, box, or instructions.
Continue
Use Camera
1
2 ABC
3 DEF
4 GHI
5 JKL
6 MNO
7 PQRS
8 TUV
9 WXYZ
0



Blindify’s story begins in 1993 within a small family workshop devoted to precision, care, and the idea that homes should feel effortless. Over time, that craftsmanship evolved into a vision: window treatments that elevate everyday living.

Established in the US in 2020, Blindify brings decades of experience into smart, minimalist designs built for comfort, safety, and harmony. Every product delivers intuitive control, cohesive aesthetics, and reliable quality, creating a seamless experience for modern homes. Guided by Integrity, Excellence, and Harmony, Blindify continues shaping a future where smart-home living feels natural, calm, and beautifully connected.

SMART BLIND

EASY

YOUR LIFE

Blindify — Where Innovation Meets Elegance.

WhatsApp Chat: +86 15757135536

Factory Address: 2804 Jeanwood Drive, Elkhart, IN 46514