tp-link | kasa smart

Kasa Spot® Pan Tilt

24/7 Recording

Indoor Security Camera

EC71



works with Google Home

works with amazon alexa

- 1080p Full HD
- Night Vision
- Motion Tracking
- micro SD Card Slot

Features







Crystal Clear Video

Sharp and clear 1080p Full HD provides high-quality video right in the palm of your hand.

Secure Local Storage

Save your footage on a microSD card* and play back with your Kasa Smart app.

Night Vision

Kasa camera detects activity up to 30 feet away even in total darkness.

Pan Tilt in Real Time

Swipe up, down, left, and right on your phone to rotate and set your camera's point of view. Receive live feedback from anywhere.

Two-Way Audio

Built-in microphone and speaker connect you directly to the action.

Activity Zones

Control what alerts you receive by creating up to 16 custom activity zones, at no charge, around areas that are important to you.

Motion Tracking

When motion activity is detected, Kasa Spot® Pan Tilt tracks and follows the subject to keep it within the camera’s field of view.

Patrol Mode

Set multiple distinct viewpoints and program your pan tilt camera to keep an eye on each region at intervals of your choosing.

Specifications

Camera

Image Sensor: 1/2.9" (Φ6.2)
Resolution: 1080p Full HD
Night Vison: 850 nm IR LED up to 30 ft
Lens: F/NO: 2.4; Focal Length: 3.83 mm
View Range: 360° horizontal and 113° vertical
Storage: microSD card, up to 64 GB*
*microSD card not included.

Audio

Audio Communication: 2-way audio
Audio Input & Output:
Built-in microphone and speaker

Video

Video Compression: H.264
Frame Rate: 15fps
Video Streaming: 1080p
Audio Compression: G.711

Activity Notifications

Input Trigger:
Motion detection, Audio detection
Output Notification:
Push notification

Hardware

Button: RESET button
Indicator LED: System LED
Adapter Input: 100-240V AC, 50/60 Hz, 0.3 A
Adapter Output: 9.0 V, 0.6 A (DC Power)
Dimensions (W x D x H):
3.2 x 3.2 x 4.4 in. (82 x 82 x 112.6 mm)
Typical Power Consumption: 4.2 W
Maximum Power Consumption: 5.2 W
Power Cord Lenght: 3 m

Network

Wireless Rate:
11 Mbps (802.11b)
54 Mbps (802.11g)
150 Mbps (802.11n)
Frequency: 2.4GHz
Wireless Security: WEP, WPA/WPA2-PSK
Security: 128 bit AES encryption with SSL/TLS

System

Regulatory Certification:
FCC, IC, CE, RCM, RoHS

Environment

Operating Temperature:
0 °C ~ 40 °C (32 °F~104 °F)
Storage Temperature:
-20 °C ~ 70°C (-4 °F~158 °F)
Operating Humidity:
10%~90%RH non-condensing
Storage Humidity:
5%~90%RH non-condensing

Package Contents

Kasa Spot® PanTilt
Power Adapter
Quick Start Guide
Mounting Screws
Mounting Plate



Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders. All rights reserved.
©2023 TP-Link
www.tp-link.com

Highlights

Up, Down, All-Around

Get the full picture of any space in your apartment, dorm or home with Kasa Spot® Pan Tilt. With a 360° horizontal view and 113° vertical view, the Pan Tilt has everything covered. With Motion Tracking and Patrol Mode, track activity from beginning to end and set multiple distinct viewpoints for your camera to monitor at set intervals.



Your Home. One App.

Turn your home into a true smart home with Kasa Smart. Automate your lights and appliances with smart plugs, bulbs, and switches. Secure your home with Kasa Cameras. Control it all from the Kasa Smart app.

