
DESIGNED SOLUTIONS FOR BETTER HEALTH

LUNDERG®

QUICK SETUP GUIDE



Under Mattress Bed Alarm System

If you have any issue or question, contact us directly at questions@lunderg.com

STEP 1

TURN ON THE MONITOR



Install batteries and close cover with screwdriver



Turn ON


Bed pad & pager come **pre-paired** if purchased as a set! If pairing is required, hold "PAIR" button for 2-6 sec until status light turns STEADY GREEN before Step 2.

STEP 2

TURN ON THE PAD




Locate pocket on the bed pad & open it



Set to Early-Alert (right) and close pocket. Pad will start beeping!

STEP 3

PAD PLACEMENT



Place bed pad under mattress (Early-Alert side **to the edge**)



Place mattress down & wait until pad stops beeping (10 sec to 2 min depending on mattress)

If pad was not placed before it stopped beeping, turn OFF bed pad, then ON (right) and repeat this step.

STEP 4

TESTING



Lay down on the bed



Sit on the edge of the bed and then exit bed



ALARM MUST SOUND

Cancel alarm by FIRMLY pressing "STOP" button

If Alarm didn't sound, switch OFF bed pad first, then go back to step 1, and PAIR the device.

READY

THE SYSTEM IS READY TO USE

This is just a quick guide to get you started. To unlock the full potential of your system, please read the user manual and check the full instructional video!

Full Guide Video
www.Lunderg.com/underfullvideo

SUPPORT

QUESTIONS?



Contact us at
questions@lunderg.com

We will reply you within
24 hours, 7 days a week!

LUNDERG®



LUNDERG®

Lunderg.com