USER MANUAL

ONAMOR
–cleaner and healthier–

COMMERCIAL

OZONE GENERATOR

ADVANCED PORTABLE AIR PURIFICATION SYSTEM

CAUTION:

Read manual carefully for proper installation and operation

CONTENTS

Getting Started

1. Introduction……2

2. How Ozone Works……...2

3. Specifications& Components……..2

4. Features……4

5. Applications……4

How to Use

6. Using Your Ozone Generator……5

7. Panel Operating……..……5

Care and Troubleshooting

8. Cautions……...……..…7

9. Replacing the Fuse……...……8

10.Troubleshooting……...8

11.FAQ……..…….8

Warranty Terms

12.Warranty and Service……...…..9

13.Warranty Card……..10

INTRODUCTION

Thank you for your purchase of the Ozone Generator. We are committed to providing innovative and safe designs that can improve your health and quality of life. It's proved that Ozone can kill 99.99% of germs, bacteria, and other pathogens. It's the safest, healthiest way to breathe cleaner. Please feel free to contact us with any questions or concerns you might have.
Email: customer.us@namorstar.com


HOW OZONE WORKS

The Ozone generator creates O_3 in a special process that uses electricity to turn oxygen into Ozone. O_3 is effective to sanitize by decomposing odors, micro-organisms, and other pollutants from source. As a natural air cleaner, O_3 can be created by nature in many ways.
For example, we've all taken a walk after a thunderstorm and experienced the clean, fresh smell in the air. That's O_3 at work.
O_3 will turn into oxygen naturally in about 30 minutes.

SPECIFICATIONS & COMPONENTS


Model	NM-06D	NM-09D
Power	60W	100W
Power Supply	AC110-120V 50-60Hz. (for US and CA Models)	AC 110-120V 50-60Hz. (for US and CA Models)
Air Flow Volume	Max 106 CFM	Max 106 CFM
Noise	＜40dB Max	＜45dB Max
Timer	0-24H	
Unit Dimensions	210*180*150 mm 8.3*7.1*6.0 inches	
N.E/G.W	3.1/4.2 pounds	3.2/4.3 pounds
Generator	1 PCS	
Power Cable	1.5m*1 PCS	
User Manual	1 PCS	
Warning card	1 PCS	

FRONT



NM-06D/NM-09D

BACK



FEATURES

● Brand new design: Designed by a professional team in the United States.
● Rugged and durable: Practical and exquisite metal shell and handle, long-life ozone sheet, durable and easy to clean.
● Powerful functions: Low noise, large air volume, quick heat dissipation, and easy maintenance.
● Safety: The heat sink reduces the heat on the ozone board and prolongs the service life.
● Easy to use: Touch the control panel to set 0-24 hours, and use "CYCLE" to set ozone cycle generation at half-hour intervals.
● Utilizing controlled corona discharge ozone technology developed.
● Stainless steel pre-filter to remove large particles.
● Protect plastic box for timer and switch, more reliable.
● Ozone starts with a 5-second delay. After you set the time, you have enough time to leave easily. More convenient and safer to use.
● In the long timer mode of more than 30 minutes, the ozone will stop early in the last 5 minutes, and the fan will continue to rotate to accelerate air circulation. Effectively removes residual ozone smell, making it more comfortable and safer.

APPLICATIONS




Scope:

Where?	Against what?
Home & Kitchen	Pet Odors
Offices & Stores	Cooking Odors
Cars Boats	Musty Smell
Hotels Restaurants	Smoking Smell

Hospitals Clinics
Attics & Basements
Bars

Chemical Odors (Formaldehyde)
Virus
Bacteria


USING YOUR OZONE GENERATOR



● Make sure no humans, animals or pets are present in the area before starting the treatment.
● Before beginning ozone treatment, thoroughly clean up the source of the odor first. And then close doors and windows, making sure the room is sealed completely.
★Please note that all ozone machines have to be used in unoccupied space only.
● In such environments as motels that have individual heating and cooling systems, turn the fan on and set it on re-circulate.
● When placing the device, set it on top of something solid to give it a steady base and prevent it from tipping over.
● Place the unit at least 15 inches away from TVs, radios, and other electronic products. Make sure there's plenty of space to spread Ozone. Position the unit as close as possible to the odor source.
● Insert the power cord into an electrical outlet. Set timer to desired time and leave the room. The unit will produce ozone according to the default settings.
● Allow 40 minutes before re-entering the treated space.
★ DISCLAIMER
Please make sure the operating voltage is the same as shown on the parametric label.
This unit will not work properly with external devices that alter or convert the voltage or frequency of electricity.

PANEL OPERATING

Plugging in the power supply, the machine is in standby mode and the START indicator light is green.



START:

● Press and hold for 3 seconds to turn on, the display will light up at 00:00.

● Press and hold for 3 seconds to turn off and restore to standby mode.

● After setting the time, press START briefly. The buzzer will sound 5 times and the START light will turn red. The machine starts to work and ozone begins to be produced. People and pets should leave immediately.

● Short press to pause/start the machine.

OZONE:

● Short press to ON/OFF ozone.

TIME+:

● Short press: the timer will increase in intervals of 5 minutes, Press and hold to increase quickly.

TIME-:

● Short press: the timer will decrease in intervals of 5 minutes, Press and hold to decrease quickly.

CYCLE:

● Short press: the timer can be set to 3H, 6H, 9H, 12H, 15H, 18H, 21H, 24H. Press and hold for quick setting.

● In this timing mode, ozone works for 30 minutes and stops for 30 minutes, and the cycle continues. The fan keeps working until the timer expires.

● This mode allows greater ozone production, more adequate air circulation, and more effective odor removal.

HOLD:

Short press: quickly set to 24:00, the ozone and fan will continue to work for 24 hours.

★ **NOTE:**

● In the last 5 minutes of the timer of 30 minutes and above (including 30 minutes), the ozone will stop and the fan will continue to rotate. At this time, the START key light shows yellow.

This mode can speed up the elimination of ozone residual smell, making it more comfortable and safer.

● This unit can run for the selected time and automatically shut off. However, the device cannot turn on and off automatically. You can turn the device on and off by holding STRT for 3 seconds.

Treatment Reference					
Treatment Time	30mins	60mins	90mins	150 mins	180 mins /HOLD
Room Size	0-200 Sqft	200-500 Sqft	500-1000 Sqft	1000-2000 Sqft	2000+ Sqft
Location	Car Kitchen Bedroom	Boat Garage Basement	Living room Office Bar	Pet Clinic Dining hall	Farm Supermarket

★ **FREQUENCY:**

It depends on your needs. At least once a week to keep fresh air indoors.

★ **ATTENTION:**

Use in unoccupied space ONLY!

There might be an ozone smell remaining in the room after treatment. Open doors and windows to ventilate for at least 40 minutes (or longer according to your treatment time and room area) after the treatment and before people return to the space.

★ **STORAGE:**

If you are not going to use the product for an extended period of time, unplug it from the electrical outlet, clean and store it in a cool and dry place out of direct sunlight.

CAUTIONS

● Never use the product when people or pets are around.

● Exposed to high concentrations of Ozone will be harmful. Make sure all Ozone is converted to oxygen before you enter the space, which takes approximately 30 minutes.


● Do not insert objects into the air filter.

● No covering it by placing on a soft surface or in a position where it will be blocked by an object (common objects: magazine, tissue paper, hair, and anything similar)…

● Do not operate this device near fire.

- Keep away from children. It is NOT a toy!
- This product is for indoor use.

REPLACING THE FUSE



Fuse holder(located on the back of the unit next to the power cord)

※ How to replace the fuse:

- To replace fuse, pull out the plastic fuse holder
- Remove old fuse and insert new fuse
- Replacement fuse must be 1.5 or 2 amp(0.97inch)

TROUBLE SHOOTING

Unit fails to turn on or doesn't produce ozone?

※ If you suspect a problem with your unit check the following:

- Unit is plugged in properly.

  It's important that the Commercial Air Purifier be properly grounded to avoid potential shock.

- Fuse is installed properly and in good condition.

  If these solutions don't fix your problem, please contact your authorized distributor for a repair or replacement.

★ NOTE: **Do not open the machine privately for maintenance.**

FAQ

Q: What is Ozone?

A: Ozone exists in the ozone layer region of the atmosphere to protect people from the sun's ultraviolet radiation. We also sense its fresh and clean smell after thunderstorms. Now we have ONAMOR Ozone Generators to move this nature's powerful sterilizer into your home, Ozone contains three atoms of oxygen. The third oxygen atom makes ozone extremely reactive, which readily attaches itself to other molecules. When odors, bacteria, or viruses meet ozone, oxidation reactions occur and both parties are destroyed, Ozone essentially reverts back to oxygen. That's why it's environmentally friendly.

Q: Ozone Air Purifier VS Air Filters
A: Air filters are normally the result of a physical process with air. However, ozone air purifiers produce activated oxygen that removes odors and freshens the air.

Q: Safety Concerns
A: High ozone concentration can be irritating to mucous membranes and the respiratory system. The right level is when all the generated ozone is being consumed. This only applies to continuous ozone use in occupied environments, not for shock treatment with ozone, more is not considered better. Ozone can work even when humans are not able to smell it.

Q: How Does an Ozone Air Purifier work?
A: Ozone generators create ozone using mechanisms such as an ultraviolet light or a corona discharge (a type of electrical discharge). The machine is also equipped with a fan that disperses the ozone out into the air. In theory, these ozone particles will come into contact with indoor air pollution and neutralize them-for instance by killing living pollutants such as bacteria.

Q: How Long Does Ozone Last?
A: As soon as ozone is formed in the generator and dispersed in a room, some of it reverts back into oxygen. Ozone itself has a half-life, which means that "residual" ozone created (extra ozone) will return to oxygen usually within 30 minutes, in amounts equal to half its level. It means that after each subsequent 30- minute period there would be half as much residual ozone left at the end of the period as was present at the beginning of the period. In practice, the half-life is usually less than 30 minutes due to temperature, dust, and other contaminants in the air. Therefore, although ozone is very powerful, doesn't last long. It does its job and then disappears.

WARRANTY AND SERVICE

Thank you for choosing ONAMOR Ozone Generator. We guarantee your investment in our product is a solid one. Extensive thought, research, planning, and design go into every product we make. High-quality components combined with precision manufacturing allow us to maintain the highest possible production standards. All items are guaranteed against defects in materials and craftsmanship.

ONAMOR's products come with a complete 18-month warranty. This warranty is non-transferable and proof of purchase is required when seeking warranty assistance. ONAMOR features outstanding quality control. If something goes wrong with any of our products, we will repair it freely. If the product cannot be

repaired, we will replace the product. If the product has been discontinued, we will replace the product with either the newest version of mentioned product or current equivalent.
If any situation your purchase displays a manufacturer's defect during the warranty period and does not function correctly, please contact our service team via: customer.us@namorstar.com.

WARRANTY CARD

THANK YOU !

Hey there,

Thank you for purchasing an ONAMOR Product!

◆ 1-year Extended Warranty

Your comments are very helpful to us. If you make valuable comments on our products within one month after purchase, we will extend the warranty period for you for 1 year free of charge.

◆ Customer Support

Don't know how to operate?

Any defect with your package?

Not satisfied with your unit?

If you said yes to any of the above questions, we are here to help!

ONAMOR Customer Support

customer.us@namorstar.com

Cleaner and Healthier

WWW.NAMORSTAR.COM

COMMERCIAL OZONE GENERATOR

Designed by ONAMOR in the U.S. Assembled in China