
Ottocast Cabin Care

Car Adapter

User Manual

English/Français/Español



Contents

Important Notices 3
Is this product compatible with my car? 4
Package Contents 5
Parts Names & Functions 6
Key Features 8
How to install the product correctly? 10
User Interface 12
How to use Wireless CarPlay? 13
How to use Camera? 16
iPhone User System Update & Issue Reporting 18
Android User System Update & Issue Reporting 21
FAQ 24
Warning 25

Important Notices

- Please read all instructions and warnings carefully before using this product.
- For your safety and the safety of others, do not watch videos while driving. Always comply with local traffic laws.
- Do not use or store this product in environments with high temperatures, strong light, magnetic fields, or other extreme conditions.
- Avoid any strong physical impact, such as dropping, stepping on, or crushing the device.
- Use only power supplies that match the product's rated voltage. Using an incorrect power source may result in malfunction or damage.
- Do not disassemble the product. Doing so is strictly prohibited and will void the warranty.
- Always operate the device in accordance with the instructions provided. The user assumes full responsibility for any damage or risk caused by improper use.


※ **Note: Information in this manual is subject to change without prior notice.**

Is this product compatible with my car?

This product is only compatible with vehicles that originally support wired CarPlay.

■ How to check if your car has wired CarPlay?


Connect your iPhone to the car's USB port using the original data cable. If the CarPlay icon or a related prompt appears on the car's display, your car supports CarPlay, and this product is compatible.




※ **Your iPhone must be running iOS 10 or later.**

※ **If you're still unsure whether your car supports wired CarPlay, contact your car dealer for assistance.**

Package Contents




Camera




Receiver




User Manual




Camera Power Cable (3m)




Nut




A to C Adapter



Mounting Plate
(for strap fixation)



Cable Ties*2
(for strap fixation)




Bracket
(for bracket fixation)

※ If the actual items differ from the list above, the contents of the received package shall take precedence.

Parts Names & Functions

■ Camera



❶ LED Light

- **Solid Blue:** Power On
- **Flashing Green:** Waiting for Protocol Connection
- **Solid Green:** Normal Operation
- **Alternating Red/Green:** System Updating
- **Solid White:** System Update Complete
- **Flashing Red:** System Update Error
- **Flashing Blue (until button release):** Reset Initiated


● Solid ✦ Flashing ✦ Color Alternating

❷ Type-C Port
Power Supply.

❸ Hidden Button
Press and hold for 10 seconds to erase all data and restore factory settings (requires re-pairing with receiver after reset).
Press and hold for 3 seconds to re-pair with receiver.

Parts Names & Functions

■ Receiver



❶ USB Plug
Power supply and data transmission, connect to the data port of the head unit.

❷ LED Light

- **Solid Blue:** Power On
- **Flashing Green:** Waiting for Protocol Connection
- **Solid Green:** Normal Operation
- **Alternating Red/Green:** System Updating
- **Solid White:** System Update Complete
- **Flashing Red:** System Update Error
- **Solid Red:** P2P Mode
- **Flashing Blue (until button release):** Reset Initiated

● Solid Flashing Color Alternating

❸ Smart Button
Short press: Quick disconnect.
Long press 3s: Enter P2P mode.
Long press 10s: Erase all data and restore factory settings.

Key Features

- **Real-time monitoring display on factory head unit screen.**




- **Upgrade wired CarPlay to wireless CarPlay.**



- **Auto Reconnection.**

  When the last connected iPhone has Bluetooth and Wi-Fi enabled, the receiver will automatically connect to it.
  The receiver remembers the last two iPhones and prioritizes the most recently used one. If connection fails within the timeout period (15-30 seconds), it will automatically attempt to connect to the other iPhone.


Key Features



■ **Quick Disconnect.**

Short press the Smart button on the receiver to disconnect the current iPhone.

If the receiver has memorized two iPhones, it will automatically connect to the other one after disconnection.




※ **The other iPhone must have Bluetooth and Wi-Fi enabled.**

How to install the product correctly?

Receiver


Insert the receiver into the vehicle's USB communication port.



Camera


1.Fixed mounting structure with two methods:

a.Strap fixation: Thread the straps through the mounting plate - one horizontally and one vertically in a cross pattern. Adjust the position of the hook and loop fasteners on the straps to secure the mounting plate to the headrest.




How to install the product correctly?

b.Bracket fixation: Open the bracket buckle, clamp it onto the headrest support rod, and select different buckle positions to tighten the support rod.




2.Install the Camera together with the nut into the ball head, adjust to the desired shooting angle, and tighten the nut.




How to install the product correctly?

3.Power the Camera via the Camera power cable.



User Interface




How to use Wireless CarPlay?

■ How to connect iPhone?

1.Tap CarPlay.



2.Turn on Bluetooth and Wi-Fi on your iPhone, pair with the product via Bluetooth, and approve all requests on your iPhone.



How to use Wireless CarPlay?

3.Wireless CarPlay connected successfully.



■ How to switch iPhone?


1.Go to the Control Center of the currently connected iPhone and turn off Wi-Fi and Bluetooth.



❶ Turn off WLAN
❷ Turn off Bluetooth

How to use Wireless CarPlay?

2.After successful disconnection, turn on Bluetooth on another iPhone and tap the Bluetooth name of this product to pair.




How to use Camera?

The shortcut bar will auto-hide after 3s of inactivity. Touch the screen or use the knob to show it again.


■ Full Screen

Tap Camera to enter full screen mode by default.




■ Split Screen

1.Toggle split screen display.



2.Double-tap the divider to swap CarPlay and Camera interfaces.



How to use Camera?

※ Split screen is unavailable when CarPlay is disconnected.

※ Due to CarPlay protocol minimum resolution requirements, if your head unit has low resolution, the CarPlay interface may display abnormally (e.g. icon overlap, incomplete display) during split screen.

■ Picture in Picture

1.Toggle Picture in Picture display.



2.Press and hold the center area of PiP to drag.



3.Press and hold the bottom-left or bottom-right corner of PiP to resize.




※ Picture in Picture is unavailable when CarPlay is disconnected.

iPhone User System Update & Issue Reporting


■ System Update

1. Update with CarPlay connected.

1.1.Enter http://192.168.1.101 in iPhone browser.




1.2.If update is available, tap Update button.




2.Update when CarPlay is disconnected.

※ **Receiver must be powered - connect to 5V car power supply, or use portable power bank/power adapter as alternative.**




iPhone User System Update & Issue Reporting


2.1.Connect iPhone to Wi-Fi network [CARR-XXXX].




2.2.Enter password 88888888 and confirm.



2.3.Enter http://192.168.1.101 in iPhone browser.



2.4.If update is available, tap Update button.




※ **Do not power off during update.**
※ **After update completion (LED shows white), replug the receiver.**
※ **Reconnect your iPhone to use Wireless CarPlay.**

iPhone User System Update & Issue Reporting


■ Issue Reporting

Report issues on the same page used for upgrading [http://192.168.1.101].

1.Fill out the form and submit.




2.Take a screenshot of this page and send it to your seller.




Android User System Update & Issue Reporting

■ System Update

※ Receiver must be powered - connect to 5V car power supply, or use portable power bank/power adapter as alternative.



1.Long press receiver Smart button for 3s until indicator turns red to enter P2P mode.




2.Find Wi-Fi Direct function on your Android phone.


Path to Wi-Fi Direct varies by phone model. Example for Google Pixel 6 Pro: **Settings→Network & internet→Internet→Network preferences→Wi-Fi Direct.**

Android User System Update & Issue Reporting


3.Select [CARR-XXXX] from Wi-Fi Direct list.




4.Enter password 88888888 to connect.



5.Enter http://192.168.1.101 in Android phone browser.



6.If update is available, tap Update button.




※ Do not power off during update.
※ After update completion (LED shows white), replug the receiver.
※ Reconnect your iPhone to use Wireless CarPlay.

Android User System Update & Issue Reporting

■ Issue Reporting

Report issues on the same page used for upgrading [http://192.168.1.101].

1.Fill out the form and submit.



2.Take a screenshot of this page and send it to your seller.



FAQ

1.No response after product installation?

(1) Check if the vehicle has wired CarPlay (refer to "Is this product compatible with my car?");

(2) If confirmed, reset the head unit, then connect iPhone to car USB port with original cable to activate wired CarPlay before reinstalling the product.

2.Bluetooth/Wi-Fi connected but no CarPlay interface?

Delete Bluetooth/Wi-Fi pairing records on iPhone, then reconnect iPhone to receiver.

3.CarPlay connection failures/frequent disconnections?

(1) Reset receiver (hold Smart button 10s), clear iPhone Bluetooth/Wi-Fi records, then reconnect.

(2) If unresolved, update to latest firmware (refer to "iPhone/Android Software Update & Issue Reporting").

(3) If still unresolved, reset head unit, activate wired CarPlay via USB, then reinstall the product.

4.Product stops working after normal use?

(1) Reset head unit, activate wired CarPlay via original USB cable, then reinstall product;

(2) If unresolved, reset product and reinstall.

※ **If issues persist, submit logs (refer to "iPhone/Android System Update & Issue Reporting") with vehicle model/year/failure description/VIN, and send screenshot of successful upload to Ottocast after-sales customer service.**

Warning

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC Warning

This device complies with Industry Canada's license-exempt RSSs. Operation is subject to the following two conditions:
(1) This device may not cause interference; and(2) This device must accept any interference, including interference that may cause undesired operation of the device.
« Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence.
L'exploitation est autorisée aux deux conditions suivantes:
(1) l'appareil ne doit pas produire de brouillage, et
(2) l'utilisateur de l'appareil doit accepter tout brouillage radioelectrique subi, meme sile brouillage est susceptible d'en compromettre le fonctionnement. »
The product should be kept at least 20CM away when used.
Le produit doit être conservé au moins 20CM une fois utilisé.

Scan the QR code below to view the English version of the operation manual or user support video.

スマートフォンのカメラでQRコードを読み取って、日本語の操作ガイドまたは操作動画をご覧いただけます.

아래 QR코드를 스캔하여 한국어 매뉴얼 또는 사용자 지원 영상을 확인하세요.

Escanee el código QR a continuación para ver el manual en español o el video de soporte al usuario.

Digitalize o código QR abaixo para ver o manual em português ou o vídeo de apoio ao utilizador.

Scannez le code QR ci-dessous pour afficher le manuel en français ou la vidéo d'assistance utilisateur.

Scannen Sie den QR-Code unten, um die deutsche Bedienung-sanleitung oder das Benutzer-Support-Video anzuzeigen.

Scansiona il codice QR qui sotto per visualizzare il manuale italiano o il video di supporto utente.

Skanuj kod QR poniżej, aby wyświetlić instrukcję w języku polskim lub wideo z wsparciem dla użytkowników.

掃描以下的二維碼，以查看操作手冊的中文版或用戶支援影片。

OttoAiServices